

# FRANKE SPECIALIST RANGE

Innovative designs with style



KITCHEN SYSTEMS

Planar PPX 611 sink with Planar Chrome tap

## WITH THE FRANKE SPECIALIST RANGE, WE HAVE DRAWN UPON ALL OF OUR EXPERIENCE TO CRAFT AN INSPIRATIONAL COLLECTION THAT COMBINES DESIGN EXCELLENCE WITH STYLE.

This superb choice of state-of-the art sink designs is offered in a wide range of durable materials, shapes and sizes. Whether you seek a cutting edge contemporary or modern classic look, a selection of elegant taps is available to fully complement each individual style.

Franke has been at the forefront of kitchen sink innovation since the company was founded in Switzerland almost a century ago. Since then we've established efficient and economic manufacturing facilities all around the world. These allow us to offer competitively priced products and still maintain immaculate standards of design, production and high-grade materials.

#### **Coordinating Designer Packs**

To make our quality even more affordable and to help you choose from the extensive Specialist Range, we've devised coordinating Designer Packs. Each pack comprises a sink, a complementary tap, and in some cases matching accessories to form the perfect package. However, we still want to offer you as much flexibility as possible, so feel free to select the tap of your choice from the full range shown on pages 38-49.

#### Peace of mind with Franke quality

We have absolute confidence in the unparalleled quality of our sinks. That's why we offer a 50 year guarantee against any manufacturing defects.



## **STAINLESS STEEL INSET SINKS**


### Immaculate in both form and function

Made from premium quality chrome nickel steel – the perfect material for ensuring cleanliness and hygiene. These sinks look beautiful, are resistant to staining, chipping, rust and corrosion.

- Available in a variety of styles to suit your kitchen
- Hard-wearing and hygienic
- Sleek, elegant styling
- Shown with complementary tap designs

Mythos MMX 651 sink with Mythos MTX Chrome tap

### STAINLESS STEEL




LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.




LHD = Left Hand Drainer. RHD = Right Hand Drainer. LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

6

### STAINLESS STEEL



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.




LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. \*NB: Model will not accommodate taps with a base diameter of over 55mm.

8

### STAINLESS STEEL



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. +Sink Only Price includes these accessories.



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

### STAINLESS STEEL



## **MYTHOS MMX RANGE**


†Sink Only Price includes these accessories.

R. 88 / 25 70 | HC. 8.





### STAINLESS STEEL



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. +Sink Only Price includes these accessories.


# **KUBUS GLASS SINKS**


Sheer elegance

- Elegant, sophisticated and stylish


- Hardwearing, toughened glass
- Shown with complementary tap designs

Franke Kubus glass sinks are made from toughened glass and are able to cope with even the most demanding hardwearing environment. Perfect for that modernistic, aesthetic statement in the kitchen, the highly reflective perimeter surface and matt drainer area are available in either sleek Black or Aqua tones. They're clearly the last word in elegance. For more information and demonstration video visit www.franke.co.uk





### SPECIAL PURPOSE SINKS



## **FRAGRANITE INSET SINKS**

### Solid performance

- Highly durable
- New improved surface smooth
   Shown with complementary
- tap designs
- Modern, minimalist Mythos range of Fragranite sinks



Fragranite is a unique material pioneered by Franke that contains 80% tough granite particles to resist burns, dents, chips and stains. Naturally textured, warm to the touch and with a subtle sheen, available in contemporary colours with matching accessories.

#### DuraKleen<sup>®</sup> Plus

18

Revolutionary new DuraKleen<sup>®</sup> Plus technology is now available on all Franke Fragranite and SilkSheen Fragranite sinks, which now enjoy ultra-smooth surfaces that are exceptionally easy to keep clean.



TRANKE

All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. †Sink Only Price includes these accessories.

### FRAGRANITE



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed drainer. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. †Sink Only Price includes these accessories.

# **CERAMIC SINKS**

Classic style with a modern twist

- Modern or traditional styles

- Mythos range available in white or contemporary black options
- Shown with complementary tap designs

Made from kiln-fired porcelain for a tough, smooth gloss finish able to stand up to even the harshest treatment. Franke Ceramic sinks have a fingertip-smooth high-gloss finish designed to look perfectly pristine – even after years of loyal and hard-working service.

### CERAMIC




LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed. NB. Ceramic sink measurements may vary +/- 1% due to firing process. We recommend that the sink should be used as a template in all cases. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed. NB. Ceramic sink measurements may vary +/- 1% due to firing process. We recommend that the sink should be used as a template in all cases. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

### CERAMIC



LHD = Left Hand Drainer. RHD = Right Hand Drainer. All sinks available left or right handed. NB. Ceramic sink measurements may vary +/- 1% due to firing process. We recommend that the sink should be used as a template in all cases. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

# **UNDERMOUNT SINKS**


Understated sophistication

Designed to be undermounted in solid work surfaces
Wide variety of shapes and sizes to suit your kitchen
Shown with complementary tap designs


24

Particularly pleasing when combined with solid granite, wood or solid surface worktops, undermount sinks allow for smooth, uninterrupted surface lines. These sinks are fitted underneath the worktop cut-out so that the sink edge doesn't rise above the level of the work area. Franke Undermount sinks are available in single, double and multi-bowl configurations in a wide range of shapes and sizes.

### UNDERMOUNTS




LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.




26

### UNDERMOUNTS




All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. <sup>†</sup>Ensure mounting system can be accommodated in cabinet.



LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. \*Visual shows flush fit installation. Standard template cut-out for sink is oversized providing flange reveal. Please see page 36 for cut-out options. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.


28

### UNDERMOUNTS




\*Visual shows flush fit installation. Standard template cut-out for sink is oversized providing flange reveal. Please see page 36 for cut-out options. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

30




LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. \*Visual shows flush fit installation. Standard template cut-out for sink is oversized providing flange reveal. Please see page 36 for cut-out options. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53. †Sink Only Price includes these accessories.

### UNDERMOUNTS




LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. \*Visual shows flush fit installation. Standard template cut-out for sink is oversized providing flange reveal. Please see page 36 for cut-out options. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.




All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

32

### UNDERMOUNTS



All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.



\*Visual shows flush fit installation. Standard template cut-out for sink is oversized providing flange reveal. Please see page 36 for cut-out options. NB. Ceramic sink measurements may vary +/- 1% due to firing process. We recommend that the sink should be used as a template in all cases. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.

34

### UNDERMOUNTS



NB. Ceramic sink measurements may vary +/- 1% due to fining process. We recommend that the sink should be used as a template in all cases. All sinks shown with 90mm waste are capable of adaptation to take a Waste Disposal Unit - see page 53.


### UNDERMOUNTED INSTALLATION GUIDE

#### Installing your undermount sink

A template and fixing clips are provided in the sink box. Some circumstances may allow for fitting a bowl directly to the worktop. We would recommend the use of a sealant between the flange of the sink and the worktop to avoid any water ingress. In all cases you are advised to consult your supplier.




Alternative fixing systems





Templates provided \*VBK 160, VBK 110 21 & VBK 110 33 cannot be fitted with a reveal due to unglazed flange.



G-Clips will hold up to

45 stone

in weight

### FRANKE G-CLIP

## The next-generation installation system

The patented Franke G-Clip system is a revolution in the installation of undermounted sinks, with considerable time savings. With this system you will see no visible difference from traditional fixing methods, whilst gaining the benefits of less installation time and effort required.



The innovative technology distributes weight from the sink bowl laterally through the use of simple metal clamps that can be fitted in minutes and are strong enough to withstand more than a 100kg weight. The application of sealant ensures a watertight seal, with the G-Clip system firmly holding the sink in place.

G-Clips can easily be removed with a simple tap from a hammer. For more information and demonstration video visit www.franke.co.uk/gclip

### FRANKE ROLLAMAT

#### Truly versatile, the Franke Rollamat is an essential accessory for every kitchen

This multi-purpose item can help protect sink and kitchen surfaces and is extremely useful for hot pans, heavy objects and for defrosting food items. It also provides the ideal draining surface for modern flat draining areas on minimalist sinks and can be easily rolled up and conveniently stored away after use. This flexible little helper is dishwasher safe and will be a welcome addition to any hardworking kitchen.

Rollamat 38	112.0050.989	£ inc. VAT				
383 x 344mm (Mythos	383 x 344mm (Mythos MTK only)					
Rollamat 40	112.0050.988	£ inc. VAT				
400 x 400mm		£60.63				



Protects surfaces from hot pans and heavy objects.



Ideal draining surface for minimalist sinks.

### **PLUMBING KITS**

#### The perfect plumbing solution

Made of rigid grey polypropylene, these plumbing kits are the hygienic solution to a Franke sink waste system. Some sinks in this brochure require a plumbing kit to be purchased separately. The plumbing kits recommended within this brochure are shown below.






Kubus KBX 120 34-34 sink with Swiss Pro Stainless Steel tap.

## SOLID STAINLESS STEEL TAPS

Those desiring the ultimate in natural beauty and robust durability need to look no further than the Franke Solid Stainless Steel tap range. Featuring the Panto, Eos and Swiss Pro Pull-out Spray, these taps will perfectly match your sink for a completely coordinated space.



#### STAINLESS STEEL TAPS



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.


## **SPECIALIST TAP RANGE**

The Franke Specialist tap range is a technically and aesthetically advanced collection.

Featuring the new pull-out spray taps Alpha, Arena and Aria and including the innovative Rolux pull-out tap with LED lights, now also available in black finish.

Rolux Pull-out Nozzle Chrome tap

#### SPECIALIST TAPS



(1) Ceramic disc tap – may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap – usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.

#### SPECIALIST RANGE



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

1 The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow.

#### SPECIALIST TAPS



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.

#### SPECIALIST RANGE



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

1 The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.

#### SPECIALIST TAPS



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.



Franke Triflow Tradition SilkSteel tap

## **FRANKE TRIFLOW**

The patented Franke Triflow delivers water in separate channels – dispensing hot, cold, mixed or filtered.


Combining the considered beauty of our most stylish designs and the technologically advanced ceramic water filtration system of the Franke Triflow family, the products in the Franke Specialist range are the perfect addition to any modern kitchen.

These desirable taps are a stunning complement to many of the Franke sinks in the range, creating a coordinated look with effortless style. The Franke Triflow taps in the Specialist range deliver hot, cold and filtered water using an advanced ceramic cartridge. This water filtration system is protected by a robust stainless steel housing on all Specialist Franke Triflow taps, adding reassuring durability to elegant aesthetics.





#### FRANKE TRIFLOW



(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system.

In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Franke\* Triflow\*\* are registered trademarks of \*Franke and \*\*Triflow Concepts Ltd respectively.



Franke Trispray Tradition Chrome tap

## **FRANKE TRISPRAY**

# All the superb benefits of Franke Triflow with an added feature, the Franke Trispray system is for kitchens that demand that little bit more.

The precision engineered taps of the Franke Trispray range boast the full complement of features that are present in the Franke Triflow range – including its advanced water filtration system – but also offers an additional side spray which is usually fitted into a solid surface worktop. The standard length of hose for the hand spray is 1 metre, however the amount that the hose will pull out is determined by the position of the hand spray in the worktop.

The ideal hygienic kitchen solution, the spray is perfect for rinsing food as part of meal preparation and dispenses hot, cold or mixed water from the main supply. Each spray is also specifically designed to reflect the aesthetic of the particular tap that it accompanies.

#### FRANKE TRISPRAY



Recommended minimum hot pressure for Franke Trisprays is 1 bar.

0

(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system.

In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.



Franke Little Butler 2000 Chrome

## **FRANKE LITTLE BUTLER**

Forget waiting for the kettle to boil. With the Franke Little Butler hot water tap, near-boiling water for tea, coffee, soups and cooking is at your fingertips whenever you need it.

Convenient, simple and easy to operate, the Franke Little Butler is the perfect sink-side addition for a busy kitchen. The Franke Little Butler 2000 offers all the features of the Franke Little Butler 1000 but with two levers and has the added advantage of dispensing perfectly filtered drinking water on tap.

Enjoy freshly filtered water free of contaminants, impurities and bad odours. Compact and unobtrusive, the easily replaceable cartridge's unique properties remove bacteria, contaminants, cysts, chemicals and odours. You can have both steaming hot and filtered water – right at your fingertips.

#### KITCHEN SOLUTIONS



## **KITCHEN SOLUTIONS**

## **Tap Brace**



The patented innovative Franke Tap Brace can be fitted to any tap to avoid flexing of stainless steel sinks.



## **Soap Dispenser**




Available in Chrome or SilkSteel, the Franke Soap Dispenser provides a fast and easy to operate hand pump for all liquid soaps. It fits neatly and unobtrusively alongside sinks in the worktop, its design carefully chosen to complement the qualities of the Specialist tap range.



### Waste Bin



The Franke Waste Bin is an inset stainless steel system with a standard 12 litre polyethylene container. This clever feature fits flush with the worktop, allowing you to scoop in waste with ease. Replace the cover and the unit is concealed with odours safely sealed inside. The container simply lifts out when it needs emptying.







## WASTE DISPOSAL UNITS

A choice of four units designed to free the kitchen of unsightly and unhygienic organic household waste. Each unit is the essential add-on for ensuring that all Franke appliances and work surfaces remain looking immaculate.

Thanks to a unique, permanent magnet motor, Franke Turbo Waste Disposal Units reach high speed in a split second, producing more torque per kilo than any other of its type. Whilst running water through the unit, food waste is instantly liquefied into fine particles that are easily flushed through the pipework system.



\*Continuous Feed models are operated by an Air Switch (or alternative) and waste food is fed through the open neck of the unit.

\*\*Batch Feed model is activated by loading the chamber and rotating the WDU plug. In both cases, a continuous supply of water is necessary whilst the WDU is in use. Member of REPIC for WEEE Regulations. EEE Producer Registration Number - WEE/DG0059TT. \*NB. Ensure WDU dimensions can be accommodated within the specified cabinet width, see also page 68.

## FRANKE WASTE SORTERS

Our aim to bring Franke excellence to every aspect of the kitchen continues with the introduction of more options to aid with the environmentally friendly sorting and disposal of household waste.



STANDARD DOOR SYSTEM

The Sorter Solo 50 and Solo 60 are

to offer a convenient waste solution.

mounted on a standard cabinet side wall

### SOFT-CLOSE DRAWER SYSTEMS

54

The Franke 350 Series Waste Sorters have been designed to be installed into modern soft-close drawer systems including Blum (Tandembox), Hettich (Quadro V6) and Grass (Nova pro)\*.



\*NB. Sorter 350-50 and 350-60 models can only be used in conjunction with soft-close drawer systems, ie. not suitable for standard cabinets. When fitting under the sink (particularly undermounts) ensure that the dimensions can be accommodated. As separating household waste into recyclable groups becomes more of a green lifestyle necessity, Franke Sorter systems are a useful addition to any kitchen, fitting neatly into most 500mm and 600mm cabinets. Franke waste systems feature separate plastic containers to sort domestic waste into different categories such as food, cans, plastic and paper, which can then be systematically disposed of or recycled. A lid closes over the bins to contain any odours. Franke Sorters are the natural alternative to the conventional waste bin.



## STANDARD DOOR SYSTEMS

The Franke 700 Series Sorter Systems are a useful addition to any kitchen with standard doors, fitting neatly into 500mm and 600mm kitchen base units. With both pedal-operated and hand-operated versions available, Franke Sorters are the natural alternative to the conventional waste bin. The 700 Series is available as either a foot-activated 'KickMatic' model or the easy-to-use hand-operated 'Motion' soft-close mechanism. Each bin has a handle that can also be used to secure waste bags. The roll-out carrier is fully waterproof, simple to dismantle and easy to clean.






## **TECHNICAL SPECIFICATIONS**


A comprehensive overview of all products in the Franke Specialist range, incorporating dimensions, formats and available finishes.

#### Stainless Steel Sinks

Ariane								
ARX 654	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	1000 x 510 350 x 435 x 180 170 x 320 x 135 984 x 494 cr=20 600 £427.11 Silk LHD 101.0018.651 RHD 101.0018.652	ARX 651	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	1000 x 510 350 x 435 x 180 170 x 320 x 135 984 x 494 cr=20 600 £414.19 Silk WWWWWWWWWWWWWWWWWWWWWWW LHD 101.0018.762 RHD 101.0018.761	ARX 621	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	
ARX 670	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:							
CPX 610	Bowl size: Cut-out size: Cabinet size:	400 x 480 340 x 420 x 175 384 x 464 cr=20 450 £191.13 Silk 101.0018.203	CPX 611 780	Overall size: Bowl size: Cut-out size: Cabinet size: Price: Finish:	780 x 500 340 x 420 x 175 764 x 484 cr=20 450 £327.17 Silk LHD 101.0066.066 RHD 101.0066.080	CPX 611 965	Overall size: Bowl size: Cut-out size: Cabinet size: Price: Finish:	965 x 500 340 x 420 x 175 949 x 484 cr=20 450 £374.97 Silk LHD 101.0066.068 RHD 101.0066.015
CPX 620	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	780 x 500 340 x 420 x 175(x2) 764 x 484 cr=20 800 £430.85 Silk 101.0066.076	CRX 651	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	965 x 500 340 x 420 x 175 165 x 300 x 130 949 x 484 cr=20 600 £316.05 Silk 101.0018.860	CPX 651	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	965 x 500 340 x 420 x 175 165 x 300 x 130 949 x 484 cr=20 600 £464.17 Silk LHD 101.0066.084 RHD 101.0066.129
CPX 652-E		340 x 420 x 175 165 x 300 x 130 1034/584 x 484	CPX 670	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	340 x 420 x 175(x2) 165 x 300 x 130 949 x 484 <b>cr</b> =20	CPX 621	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	340 x 420 x 175 300 x 340 x 160 1104 x 484 <b>cr</b> =20
CPX 671	Cut-out size: Cabinet size: Price: Finish:	340 x 420 x 175(x2) 165 x 300 x 130 1309 x 484 <b>cr</b> =20	CPX 652	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	340 x 420 x 175 165 x 300 x 130 1309 x 484 <b>cr</b> =20			
CNX 660		340 x 420 x 175 175 x 330 x 130 599 x 484 <b>cr</b> =20	CNX 651	Bowl sizes:	: 1000 x 500 340 x 420 x 175 175 x 330 x 130 : 984 x 484 cr=20 : 600 f424.36 Silk LHD 101.0018.947 RHD 101.0018.944			

LHD = Left Hand Drainer. RHD = Right Hand Drainer. LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. cr = corner radius. For full specifications on all Franke products visit www.franke.co.uk






Fragranite			
Atlantis		1	
ALG 654**			
MTG 611 Finish: SilkSheen Polar White LHD 114.0045.906 RHD 114.0045.305 RHD 114.0045.305 RHD 114.017 Rotondo		MTG 651-100       Overall size:       1000 x 515         Bowl sizes:       360 x 390 x 200       160 x 390 x 140         Gut-out size:       984 x 494 cr=10       Utilise template         Cut-out size:       984 x 494 cr=10       Utilise template         Cabinet size:       600       Price:       £388.10         Finish:       New       Coffee       All Colours         LHD       114.0046.313       LHD       114.0153.480       RHD       114.0153.483	MTG 651       Overall size:       1100 x 515         Bowl sizes:       345 x 391 x 190       196.5 x 345 x 130         Gut-out size:       1080 x 495 cr=10       Utilise template         Finish:       SilkSheen       Cabinet size:       600         Polar White       Onyx       f612.93       All Colours         114.0046.363       114.0153.699       SilkSheen       SilkSheen
RBG 610 Finish: SilkSheen Polar White	Overall size:       0444         Bowl size:       0400 x 185 Depth         Cut-out size:       0430         Cabinet size:       500         Price:       £213.85		

#### Glass

KUDUS						
KBV 611	Overall size: Bowl size: Cut-out size: Cabinet size: Price:	450 x 400 x 180 980 x 510	KBV 651	0	Overall size: Bowl sizes: Cut-out size: Cabinet size: Price:	
Finish: Glass			Finish: Glass			
Aqua LHD 101.0052.361 RHD 101.0052.367	Black LHD 101.0052.390 RHD 101.0052.393		Aqua LHD 101.0052.370 RHD 101.0052.388	Black LHD 101.0052 RHD 101.0052		



#### Belfast/Ceramic Inset

Single Bowl Unc Ariane ARX 110 17	Bowl size: Cut-out size: Cabinet size: Price: Finish:	170 x 320 x 130 Utilise template	ARX 110 17D	Bowl size: Cut-out size: Cabinet size: Price: Finish:	ARX 110 33	Bowl size: Cut-out size: Cabinet size: Price: Finish:	330 x 350 x 160 Utilise template 500 £168.64 Silk 122.0154.919
ARX 110 35	Bowl size: Cut-out size: Cabinet size: Price: Finish:		Compact CPX 110 16	Bowl size: Cut-out size: Cabinet size: Price: Finish:	CPX 110 34	Bowl size: Cut-out size: Cabinet size: Price: Finish:	
Prestige PCX 110 54 <sup>+</sup>	Bowl size: Cut-out size: Cabinet size: Price: Finish:		Rotondo RUX 110	Bowl size: Cut-out size: Cabinet size: Price: Finish:	UK UKX 110 45	Bowl size: Cut-out size: Cabinet size: Price: Finish:	450 x 360 x 180 Utilise template 500 £178.37 Silk 122.0036.577


### Multi-Bowl Undermount Sinks

Ariane						Compact		
ARX 160	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	350 x 435 x 175 170 x 320 x 130 Utilise template 600 £370.97 Silk LHSB 122.0154.926 RHSB 122.0154.935	ARX 160D	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:		CPX 160	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	340 x 420 x 175 165 x 300 x 130 Utilise template 600 £356.89 Silk LHSB 122.0040.278 RHSB 122.0040.279
Prestige			Regatta					
PCX 160	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	540 x 480 x 185 180 x 360 x 140 Utilise template 800 £438.42 Silk LHSB 122.0033.111 RHSB 122.0033.112	RGX 120 <sup>†</sup>	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	395 x 480 x 230(x2) Utilise template 1000 <b>£438.42</b> Silk			

#### Beach Undermount Sink

Beach		
BBX 160 <sup>‡</sup>	Bowl size:	560 x 425 x 175
		Utilise template
	Cabinet size:	
	Price: Finish:	<b>£714.96</b> Silk
	Finish:	SIIK
		122.0039.772

#### Kubus Stainless Steel Undermount Sinks



#### Largo Undermount Sinks

Largo LAX 110 45	Bowl size: Cut-out size: Cabinet size: Price: Finish:	445 x 390 x 175 Utilise template 500 £214.09 Silk 122.0066.736	LAX 110 50	Bowl size: Cut-out size: Cabinet size: Price: Finish:	500 x 350 x 180 Utilise template 600 £273.19 Silk 122.0035.334	LAX 160 <sup>†</sup>	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	
LAX 120 45-30	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	445 x 390 x 175 300 x 340 x 160 Utilise template 900 <b>£423.61</b> Silk 122.0156.343	LAX 120 36-36	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	360 x 390 x 175 360 x 390 x 175 Utilise template 900 <b>£438.42</b> Silk 122.0156.181	LAX 160 36-16	Bowl sizes: Cut-out size: Cabinet size: Price: Finish:	

#### Peak Undermount Sinks



LHD = Left Hand Drainer. RHD = Right Hand Drainer. LHSB = Left Hand Small Bowl. RHSB = Right Hand Small Bowl. cr = corner radius.

<sup>1</sup>Worktop thickness must be between 28-32mm to ensure correct alignment of accessories. <sup>4</sup>Owing to directional polishing, the Kubus KBX 104 45 drainer may visually differ from Kubus bowls.

For full specifications on all Franke products visit www.franke.co.uk

### Kubus Fragranite Undermount Sinks

KBG 110 16	Bowl size:	160 x 400 x 130	KBG 110 34	Bowl size:	340 x 400 x 210	KBG 110 50	Bowl size:	500 x 400 x 210
		Utilise template 300 £171.88 SilkSheen Polar White		Cut-out size: Cabinet size: Price: Finish:	Utilise template 400 <b>£252.27</b> SilkSheen Polar White	•	Cut-out size: Cabinet size: Price: Finish:	£285.55 SilkSheen Polar White
	Onyx <mark>NEW</mark> 125.0153.530	125.0046.869 Coffee NEW 125.0153.538		Onyx New 125.0153.567	125.0046.871 Coffee NEW 125.0153.575		Onyx NEW 125.0153.594	125.0046.874 Coffee NEW 125.0153.599
KBG 160	Bowl sizes:	340 x 400 x 210 160 x 400 x 130						
~ ~		Utilise template 600						
0 0	Price:	£332.67						
	Finish:	SilkSheen						
		Polar White						
Right hand small bowl only.		125.0046.877						
-	Onyx <mark>NEW</mark>	Coffee NEW				1		
	125.0153.622	125.0153.630						

## Rotondo Fragranite Undermount Sinks



#### Ceramic Undermount Sinks

RUK 110	Bowl size: Cut-out size: Cabinet size: Finish/Price: £376.56 £446.71							
VBK 160*	Bowl sizes: Cut-out size: Cabinet size: Finish/Price:	Ceramic	VBK 110 21		210 x 390 x 180 Utilise template 400 Ceramic White	VBK 110 33	Bowl size: Cut-out size: Cabinet size: Finish: £322.68	325 x 390 x 175 Utilise template 500 Ceramic White
Left hand small bowl only.	£431.23 £510.56	White 126.0050.115 Black 126.0066.532	U	£322.68	126.0066.541 Black 126.0066.542		£400.39	126.0066.547 Black 126.0066.550

#### TAP SPECIFICATIONS


#### Stainless Steel Taps



#### Specialist Taps

Bern		Rolux Pull-Out Nozzle		Rolux	
	Tap Height:268Spout Reach:202Base Diameter:48Tap cut-out:35Finish:Image: Chrome E215.85115.0153.231		Tap Height:       404         Spout Reach:       225         Base Diameter:       52         Tap cut-out:       35         Finish:		Tap Height:       405         Spout Reach:       215         Base Diameter:       52         Tap cut-out:       35         Finish:       Image: Chrome £413.60         115.0155.574       Image: Chrome 8
Arena Pull-Out Spray	Tap Height:         443           Spout Reach:         196           Base Diameter:         50           Tap cut-out:         35           Finish:         Introduction                £377.81          115.0158.969                 SilkSteel PVD             £409.28          115.0158.970	Aria Pull-Out Nozzle	Tap Height:       326.5         Spout Reach:       173.5         Base Diameter:       50         Tap cut-out:       35         Finish:       Image: Chrome £289.66         115.0158.974       Image: SilkSteel PVD £321.15         SilkSteel PVD £321.15       115.0158.975	Spirit № (1) 5 P	Tap Height:177Spout Reach:219Base Diameter:55Tap cut-out:35Finish: $15.0085.257$ SilkSteel 115.0085.258NB. Suitable for use with undermount sinks only
Alpha Pull-Out Nozzle	Tap Height:       360         Spout Reach:       220         Base Diameter:       54         Tap cut-out:       35         Finish:       54         115.0158.976       5115.0158.976         SilkSteel PVD £409.28       5115.0158.977	Ticino (1) ⓐ ₽ 	Tap Height:       245         Spout Reach:       203         Base Diameter:       58 x 48         Tap cut-out:       35         Finishes: $35$ Ib: South Charles $5370.13$ Ib: South Charles       Silk Steel         Explanation       Silk Steel         Ib: South Charles       Ib: South Charles         Ib: Silk Steel       Silk Steel         Ib: South Charles       Ib: South Charles         Ib: Silk Steel       Silk Steel         Ib: South Charles       Ib: South Charles         Ib: Silk Steel       Silk Steel         Ib: South Charles       Silk S	Basel (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Tap Height:       388         Spout Reach:       225         Base Diameter:       52         Tap cut-out:       35         Finishes:       5         Mit Chrome       £172.73         115.0068.028       \$3ikSteel         115.0068.029       \$15.0068.029
Mythos MTX	Tap Height: $365$ Spout Reach: $210$ Base Diameter: $46$ Tap cut-out: $35$ Finish: $\pounds 279.98$ 115.0049.965 $515.0049.965$ SilkSteel $\pounds 291.09$ 115.0049.966 $45.0049.965$	Mythos MTG (1) Onyx, Coffee or White shoulders Davos	Tap Height:         365           Spout Reach:         210           Base Diameter:         46           Tap cut-out:         35           Finish:         Image: Chrome £285.55           115.0049.967 - Onyx Shoulders         115.0049.967           115.0155.63         NEW Coffee Shoulders           Silk Steel £26.62         15.0049.968 - Onyx Shoulders           115.0049.968 - Onyx Shoulders         115.0049.968 - Onyx Shoulders           115.0059.66.2         115.0049.970 - White Shoulders           115.0049.970 - White Shoulders         115.0049.970 - White Shoulders	Mythos MTV (1) Available with Black shoulders only Olympus	Tap Height: $365$ Spout Reach: $210$ Base Diameter: $46$ Tap cut-out: $35$ Finish: $46$ T15.0051.536 $55$ SilkSteel $£295.62$ 115.0051.539 $536$
(1)	Tap Height:       400         Spout Reach:       221         Base Diameter:       55         Tap cut-out:       35         Finish: <ul> <li>Chrome</li> <li>£126.55</li> <li>115.0050.044</li> <li>SilkSteel</li> <li>£152.42</li> <li>115.0049.940</li> </ul>	(1)	Tap Height:       245         Spout Reach:       230         Base Diameter:       55         Tap cut-out:       35         Finish:       Image: Chrome £126.55         115.0046.694       SilkSteel £152.42         115.0046.695       SilkSteel £152.42		Tap Height:       390         Spout Reach:       220         Base Diameter:       60         Tap cut-out:       35         Finish:       Image: Chrome £194.53         115.0049.980       SilkSteel £207.55         115.0049.979       SilkSteel £207.55

#### TAP SPECIFICATIONS



#### TAP SPECIFICATIONS



#### Franke Trispray Taps

Franke Trispray I	Kubus	Franke Trispray Oly	rmpus	Franke Trispray Do	ric
	Tap Height: $367$ Spout Reach: $235$ Base Diameter: $47$ Tap cut-out: $35$ Spray base diameter: $50$ Spray cut-out: $30$ Spray cut-out: $30$ Spray height: $127$ Max depth worktop: $57$ Finish: $120.0050.034$ L20.0050.034 $120.0050.035$		Tap Height:         386           Spout Reach:         240           Base Diameter:         60           Tap cut-out:         35           Spray base diameter:         50           Spray cut-out:         30           Spray neight:         127           Max depth worktop:         57           Finish:         57           Finish:         58           Loop50.038         120.0050.039		Tap Height:         386           Spout Reach:         240           Base Diameter:         60           Tap cut-out:         30           Spray base diameter:         50           Spray cut-out:         30           Spray cut-out:         57           Finish:         57           Finish:         120.0050.030
Franke Trispray (		Franke Trispray Tra			
	Tap Height:       375         Spout Reach:       230         Base Diameter:       60         Tap cut-out:       35         Spray base diameter:       50         Spray cut-out:       30         Spray height:       127         Max depth worktop:       57         Finish:       Ethorage         Image: Chrome for family for the family fo		Tap Height:       295         Spout Reach:       210         Base Diameter:       60         Tap cut-out:       35         Spray base diameter:       50         Spray cut-out:       30         Spray height:       127         Max depth worktop:       57         Finish: $\pounds 754.89$ 120.0050.019       120		

(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.


All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.


P Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow.

NB. No reliance should be placed on dimensions given, which are for guidance only. For full specifications on all Franke products visit www.franke.co.uk

Franke\* Triflow\*\* are registered trademarks of \*Franke and \*\*Triflow Concepts Ltd respectively.


#### Franke Little Butler






68 NB. Ensure WDU dimensions can be accommodated within the specified cabinet width.

#### WASTE MANAGEMENT SYSTEMS SPECIFICATIONS




## Sorters - Soft-close Drawer Systems





## Sorter – Standard Door Systems



## Franke product brochures all downloadable from www.franke.co.uk

A wealth of Franke expertise and information is available to you via our extensive suite of brochures. They will inform and inspire you – request yours today.

## Pro-Value Range Brochure

Providing classic Franke quality in Propacks – complementary sink and tap styles in affordable packages. No corners cut, just fantastic Franke products at a reasonable price. Downloadable and available on request

## Decorative Hoods Brochure 994.0155.991

All the Franke hoods in one brochure – high performance appliances with precision engineering. Franke hoods make a stunning addition to any modern kitchen. Downloadable and available on request

All brochures are downloadable from www.franke.co.uk or phone the consumer brochure line 0161 436 0209 to get your copy now.

Colours shown are for reference only. All sinks available with left or right hand drainer. The description 'reversible' means that the design enables the same sink to be turned to drainer on the left or drainer on the right. In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. ARX 654 left hand drainer or ARX 654 right hand drainer. All bowls sizes and dimensions are described in mm.

## $\bigwedge^\circ$ In line with the environmentally friendly policy of Franke all our wooden food preparation

FSC organisation that sets the standards for environmentally renally policy of Franke all our wooden food preparation platters are made from sustainable forests, and are FSC Certified. The FSC is an independent organisation that sets the standards for environmentally responsible forest management.

5 View Franke sinks are guaranteed against manufacturing defect for 50 years. Franke taps are guaranteed against defective materials and workmanship for 1 year in relation to coatings and finishes, and 5 years in relation to moving parts. Franke will replace (and where appropriate repair) defective sinks. In relation to taps, Franke will, where appropriate, provide replacement parts for your taps or replace your taps at their discretion. Any associated or ancillary costs to be incurred by you as a result of replacement of Franke sinks and taps under this guarantee shall in all cases be previously approved by Franke KL Limited. This guarantee is in addition to and does not affect your statutory rights.

Prices shown are UK mainland prices effective from 1st March 2010 and include VAT at the current rate of 17.5%. This literature has been produced on chlorine free materials harvested from sustainable forests. The Franke policy is one of continual improvement and Franke reserves the right to alter models and specifications without notice. E & OE.

Member of REPIC for WEEE Regulations. EEE Producer Registration Number - WEE/DG0059TT.

Front cover shows Peak PKX 110 70 with Bern Chrome Tap.

994.0155.990 PP 12/03/10 Printed in the UK

Franke UK Limited West Park, MIOC Styal Road Manchester M22 5WB Phone +44 (0)161 436 6280 Fax +44 (0)161 436 2180 Email info.uk@franke.com www.franke.co.uk





KITCHEN SYSTEMS